## SikaCor® VEMY Part A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.02.2019

 3.0
 23.04.2021
 000000612750
 Date of first issue: 20.03.2015

## SECTION 1: Identification of the hazardous chemical and of the supplier

**Product identifier** 

Product name : SikaCor® VEMY Part A

Product code : 000000612750

Manufacturer or supplier's details

Company : Sika Kimia Sdn. Bhd.

Lot 689 Nilai Industrial Estate

71800 Nilai

 Telephone
 : +60 6799 1762

 Telefax
 : +60 6799 1980

 E-mail address
 : EHS@my.sika.com

Emergency telephone num-

ber

## **SECTION 2: Hazards identification**

### Classification of the hazardous chemical

Flammable liquids : Category 3

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2

### Label elements

Hazard pictograms





Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

## SikaCor® VEMY Part A



SDS Number: Version Revision Date: Date of last issue: 07.02.2019 23.04.2021 000000612750 Date of first issue: 20.03.2015 3.0

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam for extinction.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
styrene	100-42-5	>= 60 -<= 100

#### **SECTION 4: First aid measures**

General advice Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

Most important symptoms and effects, both acute and Risk of serious damage to the lungs (by aspiration). irritant effects

delayed

Aspiration may cause pulmonary oedema and pneumonitis.

Cough

Respiratory disorder **Excessive lachrymation** 

Headache **Dermatitis** 

See Section 11 for more detailed information on health effects

## SikaCor® VEMY Part A



SDS Number: Version **Revision Date:** Date of last issue: 07.02.2019 000000612750 Date of first issue: 20.03.2015 23.04.2021 3.0

and symptoms.

Causes skin irritation.

Causes serious eye irritation.

Harmful if inhaled.

Notes to physician Treat symptomatically.

## **SECTION 5: Firefighting measures**

**Extinguishing media** 

Suitable extinguishing media Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Water

Physicochemical hazards arising from the chemical

ucts

Hazardous combustion prod- : No hazardous combustion products are known

Special protective equipment and precautions for fire-fighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing meth-

ods

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment. Remove all sources of ignition.

Deny access to unprotected persons.

**Environmental precautions** Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

miculite) and place in container for disposal according to local

/ national regulations (see section 13).

### **SECTION 7: Handling and storage**

### Handling

### Precautions for safe handling

## SikaCor® VEMY Part A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.02.2019

 3.0
 23.04.2021
 000000612750
 Date of first issue: 20.03.2015

Advice on protection against :

fire and explosion

Use explosion-proof equipment.

Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Take precautionary measures against electrostatic discharg-

es.

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharge. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Follow standard hygiene measures when handling chemical

products

### **Storage**

## Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Store in original container.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

#### **SECTION 8: Exposure controls and personal protection**

## **Control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
styrene	100-42-5	TWA	20 ppm 85.2 mg/m3	MY PEL
	Further information: Skin			
		TWA	10 ppm	ACGIH
		STEL	20 ppm	ACGIH

## **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
styrene	100-42-5	Mandelic	Urine	End of	400 mg/g	ACGIH
		acid plus		shift (As	Creatinine	BEI
		phenylgly-		soon as		
		oxylic acid		possible		

## SikaCor® VEMY Part A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.02.2019

 3.0
 23.04.2021
 000000612750
 Date of first issue: 20.03.2015

		after ex- posure ceases)		
Styrene	Urine	End of shift (As soon as possible after ex- posure ceases)	40 μg/l	ACGIH BEI

## Individual protection measures, such as personal protective equipment

Eye/face protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9: Physical and chemical properties**

Appearance : liquid

Colour : violet

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range / Freezing : No data available

## SikaCor® VEMY Part A



SDS Number: Version **Revision Date:** Date of last issue: 07.02.2019 000000612750 Date of first issue: 20.03.2015 23.04.2021 3.0

point

Boiling point/boiling range 145 °C (293 °F)

Flash point 24 °C (75 °F)

(Method: closed cup)

Evaporation rate No data available

Flammability (solid, gas) No data available

Upper explosion limit / Upper

flammability limit

: 7.7 %(V)

Lower explosion limit / Lower : 1 %(V)

flammability limit

Vapour pressure 0.8 hPa

Relative vapour density No data available

1.05 g/cm3 (20 °C (68 °F)) Density

Solubility(ies)

Water solubility No data available

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

No data available Viscosity, dynamic

> 7 mm2/s ( 40 °C (104 °F)) Viscosity, kinematic

Explosive properties No data available

Oxidizing properties No data available

### **SECTION 10: Stability and reactivity**

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability The product is chemically stable.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions. Vapours may form explosive mixture with air.

Conditions to avoid Heat, flames and sparks.

## SikaCor® VEMY Part A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.02.2019

 3.0
 23.04.2021
 000000612750
 Date of first issue: 20.03.2015

Incompatible materials : No data available

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

Information on likely routes of : None known.

exposure

**Acute toxicity** 

Harmful if inhaled.

**Components:** 

styrene:

Acute inhalation toxicity : LC50 (Rat): 11.8 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

## SikaCor® VEMY Part A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.02.2019

 3.0
 23.04.2021
 000000612750
 Date of first issue: 20.03.2015

### **SECTION 12: Ecological information**

#### **Ecotoxicity**

No data available

### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

## Mobility in soil

No data available

#### Other adverse effects

### **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

#### **SECTION 13: Disposal information**

## **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14: Transport information**

#### International Regulations

#### **UNRTDG**

UN number : UN 1866

Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : II
Labels : 3

**IATA-DGR** 

UN/ID No. : UN 1866
Proper shipping name : Resin solution

## SikaCor® VEMY Part A



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.02.2019

 3.0
 23.04.2021
 000000612750
 Date of first issue: 20.03.2015

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo

aircraft)

Packing instruction (passen: :

353

364

ger aircraft)

**IMDG-Code** 

UN number : UN 1866

Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15: Regulatory information**

### Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

#### **SECTION 16: Other information**

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

MY PEL : Malaysia. Occupational Safety and Health (Use and Stand-

ards of Exposure of Chemicals Hazardous to Health) Regula-

tions 2000.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

MY PEL / TWA : Eight-hour time-weighted average airborne concentration
ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

# SikaCor® VEMY Part A



Version	Revision Date:	SDS Number:	Date of last issue: 07.02.2019
3.0	23.04.2021	000000612750	Date of first issue: 20.03.2015

J		23.04.2021	000000612750	Date of first issue: 20.03.20
	CAS		Chemical Abstracts Service	
	DNEL		Derived no-effect level	
			Half maximal effective concentrat	ion
	EC50	•		lion
	GHS	:	Globally Harmonized System	
	IATA	:	International Air Transport Assoc	
	IMDG	:	International Maritime Code for D	•
	LD50	:	Median lethal dosis (the amount of	of a material, given all at
			once, which causes the death of	50% (one half) of a group of
			test animals)	
	LC50	:	Median lethal concentration (concentration)	centrations of the chemical in
			air that kills 50% of the test anima	als during the observation
			period)	S .
	MARPOL	:	International Convention for the F	Prevention of Pollution from
			Ships, 1973 as modified by the P	
	OEL		Occupational Exposure Limit	1010001 01 1070
	PBT		Persistent, bioaccumulative and t	ovic
	PNEC	•	Predicted no effect concentration	
		•		
	REACH	;	Regulation (EC) No 1907/2006 of	
			and of the Council of 18 Decemb	
			istration, Evaluation, Authorisation	
			cals (REACH), establishing a Eur	
	SVHC	:	Substances of Very High Concert	n

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

: Very persistent and very bioaccumulative

Changes as compared to previous version!

MY / EN

vPvB