# Sikafloor®-81 EpoCem® New HC Part B



Version 3.1

## SECTION 1: Identification of the hazardous chemical and of the supplier

Product name Product code Type of product	<ul> <li>Sikafloor<sup>®</sup>-81 EpoCem<sup>®</sup> New HC Part B</li> <li>00000020259</li> <li>liquid</li> </ul>
Recommended use of the cl	nemical and restrictions on use
Product use	: Special system, Product is not intended for consumer use
Manufacturer or supplier's o	letails
Company	: Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai
Telephone	: +60 6799 1762
Telefax	: +60 6799 1980
E-mail address	: EHS@my.sika.com
Emergency telephone	: -
number	
Contact point	:

## **SECTION 2: Hazards identification**

Classification of the hazardous Skin corrosion/irritation	s <b>chemical</b> : Category 2
Serious eye damage/eye irritation	: Category 2
Skin sensitisation	: Category 1
Label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	<ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li>Response:</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P362 Take off contaminated clothing and wash before reuse.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste</li> </ul>

## Sikafloor<sup>®</sup>-81 EpoCem<sup>®</sup> New HC Part B

Version 3.1

SDS Number: 00000020259



disposal plant.

## Other hazards which do not result in classification

None known.

#### **SECTION 3**: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 1 - < 2.5

#### SECTION 4: First aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
lf inhaled	<ul> <li>Move to fresh air.</li> <li>Consult a physician after significant exposure.</li> </ul>
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>
If swallowed	<ul> <li>If eye irritation persists, consult a specialist.</li> <li>Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person. Obtain medical attention.</li> </ul>
Most important symptoms and effects, both acute and delayed	<ul> <li>irritant effects</li> <li>sensitising effects</li> <li>Allergic reactions</li> <li>Excessive lachrymation</li> <li>Dermatitis</li> <li>See Section 11 for more detailed information on health effects</li> <li>and symptoms.</li> <li>Causes skin irritation.</li> </ul>
Notes to physician	May cause an allergic skin reaction. Causes serious eye irritation. : Treat symptomatically.

#### **SECTION 5: Firefighting measures**

## Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media		Carbon dioxide (CO2) Water
Physicochemical hazards ar	isir	ng from the chemical
Hazardous combustion products	:	No hazardous combustion products are known

# Sikafloor®-81 EpoCem® New HC Part B



Version 3.1	SDS Number: 00000020259	Revision Date: 11.05.2

## Special protective equipment and precautions for fire-fighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Specific extinguishing methods	:	Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Deny access to unprotected persons.	
Environmental precautions	: Do not flush into surface water or sanitary sewer system.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	,

## **SECTION 7: Handling and storage**

## Handling

Precautions for safe handlin	]
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	<ul> <li>Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products</li> </ul>
Storage	
Conditions for safe storage,	including any incompatibilities
Conditions for safe storage	: Store in original container. Keep in a well-ventilated place

ditions for safe storage		Store in original container.	
-		Keep in a well-ventilated place.	
		Containers which are opened must be carefully resealed and	
		kept upright to prevent leakage.	
		Observe label precautions.	
		Store in accordance with local regulations.	

## SAFETY DATA SHEET

# Sikafloor<sup>®</sup>-81 EpoCem<sup>®</sup> New HC Part B

Version 3.1



#### **SECTION 8: Exposure controls and personal protection**

#### Control parameters

Contains no substances with occupational exposure limit values.

Individual protection measu	es, such as personal protective equipment
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hygiene measures	<ul> <li>Handle in accordance with good industrial hygiene and safety practice.</li> <li>When using do not eat or drink.</li> <li>When using do not smoke.</li> <li>Wash hands before breaks and at the end of workday.</li> </ul>

### **SECTION 9: Physical and chemical properties**

Appearance Colour Odour Odour Threshold	:	liquid white amine-like No data available
pH Melting point/range / Freezing point	:	ca. 11 No data available
Boiling point/boiling range	:	No data available
Flash point	:	72 °C (162 °F) Method: closed cup
Evaporation rate	:	No data available
Flammability	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	23 hPa (17 mmHg)
Relative vapour density	:	No data available

# Sikafloor<sup>®</sup>-81 EpoCem<sup>®</sup> New HC Part B

SDS Number: 00000020259 Version 3.1 Revision Date: 11.05.2020 Density : ca. 1.03 g/cm3 (20 °C (68 °F) ()) Solubility(ies) Water solubility : soluble Partition coefficient: n-: No data available octanol/water Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity Viscosity, dynamic : No data available Viscosity, kinematic : > 20.5 mm2/s (40 °C) Explosive properties : No data available

#### **SECTION 10: Stability and reactivity**

Molecular weight

Reactivity Chemical stability Possibility of hazardous	<ul> <li>No dangerous reaction known under conditions of normal use.</li> <li>The product is chemically stable.</li> <li>Stable under recommended storage conditions.</li> </ul>
reactions Conditions to avoid Incompatible materials No decomposition if stored and	: No data available : No data available applied as directed.

: No data available

#### **SECTION 11: Toxicological information**

Information on likely routes of : None known. exposure

#### Acute toxicity

Not classified based on available information.

#### Components:

3-aminomethyl-3,5,5-trimethy Acute oral toxicity		<b>yclohexylamine:</b> LD50 Oral (Rat): 1,030 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.01 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2,000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

## Sikafloor®-81 EpoCem® New HC Part B

Version 3.1

SDS Number: 000000020259



#### Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### **Carcinogenicity** Not classified based on available information.

**Reproductive toxicity** Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

#### Aspiration toxicity Not classified based on available information.

#### **SECTION 12: Ecological information**

#### Ecotoxicity

#### Components:

#### 3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Persistence and degradability

#### No data available

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

#### Product:

Additional ecological	:	There is no data available for this product.
information		

#### **SECTION 13: Disposal information**

Disposal methods	
Waste from residues	<ul> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> </ul>

## Sikafloor<sup>®</sup>-81 EpoCem<sup>®</sup> New HC Part B

Version 3.1



Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14: Transport information**

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

#### **SECTION 16: Other information**

Date format

: dd.mm.yyyy

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !