Sikaflex[®] PRO-3

Revision Date: 05.05.2020

Version 3.1

SECTION 1: Identification of the hazardous chemical and of the supplier

Product name	Sikaflex [®] PRO-3
Product code	: 00000607576
Type of product	: paste
Type of product	. publo
Recommended use of the ch	nemical and restrictions on use
Product use	: Sealant/adhesive
Manufacturer or supplier's d	letails
Company	: Sika Kimia Sdn. Bhd.
••••••••••••••••••••••••••••••••••••••	Lot 689 Nilai Industrial Estate

Company	. Olka Minia Outi, Dhu.
	Lot 689 Nilai Industrial Estate
	71800 Nilai
Telephone	: +60 6799 1762
Telefax	: +60 6799 1980
E-mail address	: EHS@my.sika.com
Emergency telephone	: -
number	
Contact point	:

SECTION 2: Hazards identification

Classification of the hazardous chemical

Not a hazardous substance or mixture.

Label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Reaction product of Hexamethylene	Not Assigned	>= 0.025 - < 0.25
diisocyanate, oligomers with		
Mercaptopropyltrimethoxysilane		
Hardener LI (Isophoronedialdimine)	932742-30-8	>= 0.025 - < 0.25
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	>= 0.025 - < 0.25

SECTION 4: First aid measures

General advice	: Move out of dangerous area.
	Consult a physician.
	Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.
	Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately.

Sikaflex[®] PRO-3

Version 3.1	SDS Number: 000000607576	Revision Date: 05.05.2020
	Wash off with soap and plenty of wate	er.
	If symptoms persist, call a physician.	
In case of eye contact	: Remove contact lenses.	
	Keep eye wide open while rinsing.	
	If eye irritation persists, consult a spec	cialist.
If swallowed	: Clean mouth with water and drink after	erwards plenty of water.
	Do not give milk or alcoholic beverage	es.
	Never give anything by mouth to an u	nconscious person.
	Obtain medical attention.	
Most important symptoms	: sensitising effects	
and effects, both acute and	Allergic reactions	
delayed	See Section 11 for more detailed infor	mation on health effects
	and symptoms.	
Notes to physician	: Treat symptomatically.	

R

SECTION 5: Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Physicochemical hazards ar	ising from the chemical
Hazardous combustion products	: No hazardous combustion products are known
Special protective equipmen	t and precautions for fire-fighters
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Specific extinguishing	: Standard procedure for chemical fires.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Deny access to unprotected persons.	
Environmental precautions	: Do not flush into surface water or sanitary sewer system.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	

SECTION 7: Handling and storage

Handling

methods

Precautions for safe handling			
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Advice on safe handling	:	Do not breathe vapours or spray mist.	

Sikaflex[®] PRO-3



Version 3.1 SDS Number: 000000607576 Revision Da

Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated
		place.
		Store in accordance with local regulations.

SECTION 8: Exposure controls and personal protection

Control parameters

Contains no substances with occupational exposure limit values.

Individual protection measures, such as personal protective equipment Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary. Skin protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. : Use respiratory protection unless adequate local exhaust Respiratory protection ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, selfcontained breathing apparatus must be used. Handle in accordance with good industrial hygiene and safety Hygiene measures practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

11 1	pearance	: paste
Colour : various	lour	: various
Odour : odourless	lour	: odourless
Odour Threshold : No data available	lour Threshold	: No data available

Sikaflex[®] PRO-3

Version 3.1

SDS Number: 000000607576



pH Melting point/range / Freezing point	: Not applicable : No data available
Boiling point/boiling range	: No data available
Flash point	: > 150 °C (302 °F) Method: closed cup
Evaporation rate	: No data available
Flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 0.01 hPa (0.01 mmHg)
Relative vapour density	: No data available
Density	: ca. 1.36 g/cm3 (20 °C (68 °F) ())
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n-	: No data available
octanol/water Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: No data available
Molecular weight	: No data available

SECTION 10: Stability and reactivity

Reactivity	: No dangerous reaction known under conditions of normal use.	
Chemical stability	: The product is chemically stable.	
Possibility of hazardous reactions	: No hazards to be specially mentioned.	
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
No decomposition if stored and applied as directed.		

SECTION 11: Toxicological information

Information on likely routes of : None known. exposure

Sikaflex[®] PRO-3

Acute toxicity

Not classified based on available information.

Revision Date: 05.05.2020

Version 3.1

SDS Number: 000000607576

Components: Hardener LI (Isophoronedialdimine): Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg : LD50 Dermal (Rabbit): > 2,000 mg/kg Acute dermal toxicity Skin corrosion/irritation Not classified based on available information. Serious eye damage/eye irritation Not classified based on available information. Respiratory or skin sensitisation Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information. Aspiration toxicity Not classified based on available information. **SECTION 12: Ecological information** Ecotoxicity Components:

Reaction product of Hexamet Mercaptopropyltrimethoxysil		/lene diisocyanate, oligomers with le:
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Exposure time: 96 h
		Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
		Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Hardener LI (Isophoronedialdimine):

Sikaflex[®] PRO-3

sion 3.1	SDS Number: 000000607576	Revision Date: 05.05.2020
Toxicity to fish	: LC50 (Fish): 87.2 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): > 100 r Exposure time: 48 h	ng/l
Toxicity to algae	: EC50 (Desmodesmus subspicatus (Exposure time: 72 h	green algae)): 180.4 mg/l
Persistence and degradabili No data available	у	
Bioaccumulative potential No data available		
Mobility in soil No data available		
Other adverse effects		
Product:		
Additional ecological information	: There is no data available for this pro	oduct.

®

SECTION 13: Disposal information

Disposal methods	
Waste from residues	: Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Send to a licensed waste management company. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Sikaflex[®] PRO-3

Version 3.1

SDS Number: 000000607576



SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000. International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

SECTION 16: Other information

Date format

: dd.mm.yyyy

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !