Sika MonoTop[®] R



Version 6.0	Revision Date: 14.02.2023		SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015
SECTION 1	l: Identification of the	e haz	ardous chemical and of the su	pplier
	ct identifier ct name	:	Sika MonoTop [®] R	
Manuf	acturer or supplier's	deta	ils	
Compa	any	:	Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai	
Teleph	ione	:	+60 6799 1762	
Emerg	ency telephone numbe	er :	-	
E-mail	address	:	EHS@my.sika.com	
Telefax	x	:	+60 6799 1980	

SECTION 2: Hazards identification

Classification of the hazardous chemical						
Skin corrosion/irritation	:	Category 2				
Serious eye damage/eye irri- tation	:	Category 1				
Skin sensitisation	:	Category 1				
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)				
Label elements						
Hazard pictograms	:					
Signal word	:	Danger				
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.				
Precautionary statements	:	Prevention:				
		P261 Avoid breathing dust. P264 Wash skin thoroughly after handling.				
		1/10				

1 / 10

Sika MonoTop® R



Version	Revision Date: 14.02.2023	SDS Number:	Date of last issue: 27.08.2022
6.0		000000606175	Date of first issue: 11.03.2015
		Response: P304 + P340 + P312 IF IN and keep at rest in a positi POISON CENTER or doct P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER or doctor/ physic	ves/ eye protection/ face protection. HALED: Remove victim to fresh air ion comfortable for breathing. Call a or/ physician if you feel unwell. 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present rinsing. Immediately call a POISON cian. on or rash occurs: Get medical ad-

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture	: Mixture	

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 60 -<= 100
Cement, portland, chemicals	65997-15-1	>= 20 -< 30

SECTION 4: First aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
lf inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms	:	irritant effects
		2/10

Sika MonoTop® R



Version 6.0	Revision Date: 14.02.2023		SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015
and ef	fects, both acute and ed	Cou Res Alle Exc Der See and Cau May Cau	piratory disorder rgic reactions essive lachrymation matitis	ge.
Notes	to physician	: Trea	at symptomatically.	
CECTION	F. Firefishting measur			

SECTION 5: Firefighting measures

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir-
		cumstances and the surrounding environment.

Physicochemical hazards arising from the chemical

Hazardous combustion prod- : No hazardous combustion products are known ucts

Special protective equipment and precautions for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

Specific extinguishing meth- : Standard procedure for chemical fires. ods

SECTION 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Deny access to unprotected persons.	
Environmental precautions :	Do not flush into surface water or sanitary sewer system.	
Methods and materials for : containment and cleaning up	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.	

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Sika MonoTop® R



Version 6.0	Revision Date: 14.02.2023		SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015
	vice on protection against and explosion	:	Normal measures for preventiv	ve fire protection.
Adv	Advice on safe handling :		 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products 	
			Do not breathe vapours/dust.	
Sto	rage			
Cor	nditions for safe storage	, in	cluding any incompatibilities	
Cor	nditions for safe storage	:	Store in original container. Keep in a well-ventilated place Observe label precautions. Store in accordance with local	

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable frac- tion)	0.1 mg/m3	MY PEL
		PEL (Respir- able dust)	0.1 mg/m3	MY PEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res-	0.025 mg/m3	ACGIH



Sika MonoTop[®] R

ersion 0	Revision Date: 14.02.2023	SDS No 000000			t issue: 27.08.2022 t issue: 11.03.2015
			pirable par- ticulate mat- ter)	(Silica)	
Ceme	nt, portland, chemicals	65997-15-1	TWA	10 mg/m3	MY PEL
			PEL (Respir- able dust)	5 mg/m3	MY PEL
			PEL (Total dust)	10 mg/m3	MY PEL
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
	dual protection measu	•	•		
Eye/fa	ace protection	: Safety eyew be used whe	ear complying wi en a risk assessn	th an approved st nent indicates this	andard should is necessary.
Skin p	rotection		mount of danger	lation to its type, t ous substances, a	
Hand	protection	approved st	andard should be	us gloves complyi worn at all times sessment indicate	when handling
Respir	ratory protection	ventilation is that exposu The filter cla imum expec (gas/vapour dling the pro	s provided or exported or exported are within reclass for the respirated contaminant /aerosol/particula	ites) that may aris entration is excee	t demonstrates sure guidelines. ole for the max- e when han-
Hygiei	ne measures	practice. When using When using	do not eat or drir do not smoke.	ood industrial hygi nk. nd at the end of w	,

SECTION 9: Physical and chemical properties

		5/10
рН	:	Not applicable
Odour Threshold	:	No data available
Odour	:	odourless
Colour	:	grey
Appearance	:	solid

Sika MonoTop[®] R



Versi 6.0	on Revision Date: 14.02.2023		SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015
	Melting point/range / Freezing point Boiling point/boiling range	:	No data available No data available	
	Flash point		Not applicable	
	Evaporation rate		No data available	
	Flammability (solid, gas)		No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	No data available	
	Relative vapour density	:	No data available	
	Density	:	2 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
	Explosiveproperties	:	No data available	
	Oxidizing properties	:	No data available	

SECTION 10: Stability and reactivity

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.

Sika MonoTop® R



Version 6.0	Revision Date: 14.02.2023	SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015				
Cond	itions to avoid	: No data available					
Incom	npatible materials	: No data available					
No de	ecomposition if stored a	and applied as directed.					
SECTION	11: Toxicological inf	ormation					
Inform expos	nation on likely routes o sure	of : None known.					
	e toxicity lassified based on ava	ilable information.					
	Skin corrosion/irritation Causes skin irritation.						
	ous eye damage/eye i es serious eye damage						
Resp	iratory or skin sensit	isation					
-	sensitisation cause an allergic skin r	eaction.					
•	iratory sensitisation lassified based on ava	ilable information.					
	cell mutagenicity lassified based on ava	ilable information.					
	Carcinogenicity Not classified based on available information.						
-	Reproductive toxicity Not classified based on available information.						
	STOT - single exposure May cause respiratory irritation.						
	STOT - repeated exposure Not classified based on available information.						

Aspiration toxicity Not classified based on available information.

SECTION 12: Ecological information

Ecotoxicity No data available

Persistence and degradability No data available

Sika MonoTop[®] R



Version 6.0	Revision Date: 14.02.2023		SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015
	cumulative potential Ita available			
	Mobility in soil No data available			
Other	adverse effects			
Additi	Product: Additional ecological infor- mation		There is no data available	for this product.
SECTION	13: Disposal informa	tion		
Dispo	osal methods			
-	e from residues	:	Send to a licensed waster	nanagement company.
			Do not contaminate ponds cal or used container.	s, waterways or ditches with chemi-
Conta	minated packaging	:	Empty remaining contents Dispose of as unused proc	
			Do not re-use empty conta	ainers.

SECTION 14: Transport information

International Regulations

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name	:	Not applicable Not applicable

Sika MonoTop® R



Version 6.0	Revision Date: 14.02.2023	SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015
Class Subsidiary risk Packing group Labels EmS Code Marine pollutant Transport in bulk accordi i		 Not applicable 	and the IBC Code
Not ap	oplicable for product a	s supplied.	
•	al precautions for us	ser	
	15: Regulatory inform	nation nmental regulations specific for	

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000. International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

SECTION 16: Other information

Revision Date Date format	:	14.02.2023 dd.mm.yyyy					
Full text of other abbreviations							
ACGIH		USA. ACGIH Threshold Limit Values (TLV)					
MY PEL	:	Malaysia. Occupational Safety and Health (Use and Stand- ards of Exposure of Chemicals Hazardous to Health) Regula- tions 2000.					
MY PEL	:	Malaysia. Factories and Machinery (Mineral Dust) Regulations - Permissible Exposure Limit					
ACGIH / TWA	:	8-hour, time-weighted average					
MY PEL / TWA	:	Eight-hour time-weighted average airborne concentration					
MY PEL / PEL	:	Permissible exposure limit (PEL)					
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road					
CAS	:	Chemical Abstracts Service					
DNEL	:	Derived no-effect level					
EC50	:	Half maximal effective concentration					
GHS	:	Globally Harmonized System					
ΙΑΤΑ	:	International Air Transport Association					
IMDG	:	International Maritime Code for Dangerous Goods					
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of					
		test animals)					
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)					

Sika MonoTop® R



Version 6.0	Revision Date: 14.02.2023		SDS Number: 000000606175	Date of last issue: 27.08.2022 Date of first issue: 11.03.2015	
MARPOL		:	International Convention for Ships, 1973 as modified by	the Prevention of Pollution from the Protocol of 1978	
OEL PBT		:	Occupational Exposure Limit Persistent, bioaccumulative and toxic		
PNEC REACH		:	and of the Council of 18 Dec	ation 006 of the European Parliament cember 2006 concerning the Reg- isation and Restriction of Chemi-	
SVHC vPvB		:		a European Chemicals Agency oncern	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

MY / EN