



PRODUCT CATALOGUE DISTRIBUTION
WATERPROOFING SOLUTIONS
PENYELESAIAN KALIS AIR
防水解决方案

SikaTop® Seal-107 (MY)

Scan for
more info



Cementitious waterproofing slurry & protective coating
Larutan pekat licin kalis air bersimen & lapisan perlindungan
水泥基防水灰浆与保护层

Uses

- Interior & exterior waterproofing & damp-proofing of concrete, cementitious rendering, brickwork & blockwork
- Waterproofing of bathrooms under tiles
- Waterproofing of drinking water tanks
- Protective coating on concrete structures

Areas of application

- Potable concrete water tanks
- Basements
- Terraces & balconies
- Retaining walls
- Fountains
- RC gutters & planter boxes
- Bathroom floors
- Seawalls

Colour

- Grey

Packaging

- 25 kg / set

Kegunaan

- Pengalisan air untuk dalaman & luaran serta pengalisan basah untuk konkrit, penerapan bersimen, kerja batu-bata & kerja blok
- Pengalisan air di bawah jubin dalam bilik air
- Pengalis air untuk tangki air minuman
- Lapisan pelindung pada struktur konkrit

Kawasan aplikasi

- Tangki air konkrit
- Ruang bawah tanah
- Teres & balkoni
- Dinding penahan
- Air pancut
- Longkang konkrit bertetulang (RC) & kotak tanaman
- Lantai bilik mandi
- Tembok penahan laut

Warna

- Kelabu

Pembungkusan

- 25 kg / set

用途

- 适用于混凝土、水泥抹面、砖墙和砌块墙的室内及室外防水、防潮处理
- 浴室瓷砖下的防水层
- 饮用储水池的防水
- 混凝土结构防护涂料

适用范围

- 饮用水混凝土水箱
- 地下室
- 露台和阳台
- 挡土墙
- 喷泉
- 钢筋混凝土排水沟和花槽
- 浴室地面
- 海堤

颜色

- 灰色

包装

- 25 公斤 / 组



032-118-2813
Environmentally
Preferred Coating



SikaTop® Seal-107 Fibre MY

NEW
PRODUCT

Scan for
more info



Cementitious waterproofing mortar with synthetic resins
Mortar kalis air berasaskan simen dengan resin sintetik
含合成树脂的水泥基防水砂浆

Uses

- Waterproofing for water tanks, bathrooms & toilets
- Damp-proofing of basements & concrete structures
- Interior & exterior waterproofing for walls & floors
- Sealing hairline cracks & surface pores in concrete

Areas of application

- Potable concrete water tanks
- Basements
- Terraces & balconies
- Retaining walls
- Fountains
- RC gutters & planter boxes
- Bathroom floors

Colour

- Grey

Packaging

- 20 kg / bag

Kegunaan

- Kalis air untuk tangki air, bilik mandi & tandas
- Perlindungan kelembapan untuk ruang bawah tanah & struktur konkrit
- Kalis air dalaman & luaran untuk dinding & lantai
- Menutup rekahan halus & liang pada konkrit

Kawasan aplikasi

- Tangki air konkrit
- Ruang bawah tanah
- Teres & balkoni
- Dinding penahan
- Air pancut
- Longkang konkrit bertetulang (RC) & kotak tanaman
- Lantai bilik mandi

Warna

- Kelabu

Pembungkusan

- 20 kg / beg

用途

- 水箱、浴室和厕所的防水
- 地下室和混凝土结构的防潮处理
- 墙面和地面的室内外防水
- 密封混凝土中的发丝裂缝和表面孔洞

适用范围

- 可饮用混凝土水箱
- 地下室
- 露台和阳台
- 挡土墙
- 喷泉
- 钢筋混凝土排水沟和花槽
- 浴室地面

颜色

- 灰色

包装

- 20 公斤 / 袋



- Excellent adhesion
- Fibre reinforced strength
- Easy to use - just add water

SikaTop® Seal-109 MY

Scan for
more info



Polymer-modified, flexible, cementitious waterproofing coating
Lapisan pengalis air bersimen, polimer terubahsuai & fleksibel
聚合物改性弹性水泥基防水涂料

Uses

- Waterproofing of bathroom floors below tiling
- Waterproofing of terraces & balconies
- Waterproofing of structures with increased movements/ cracks

Areas of application

- Basements, car parks, terraces, balconies, bridges, retaining walls, swimming pools, RC gutters, bathroom floors & walls, planter boxes, wet rooms for example kitchens, waste water treatment plants, shower rooms & laundries

Colour

- Grey

Packaging

- 36 kg / set

Kegunaan

- Pengalis air bawah jubin di lantai bilik air
- Pengalis air bagi teres & balkoni
- Pengalis air bagi struktur yang mempunyai peningkatan pergerakan/ retakan

Kawasan aplikasi

- Ruang bawah tanah, tempat letak kereta, teres, balkoni, jambatan, dinding penahan, kolam renang, longkang konkrit bertetulang (RC), lantai & dinding bilik mandi, kotak tanaman, ruang basah seperti dapur, loji rawatan air sisa, bilik mandi pancuran & bilik dobi

Warna

- Kelabu

Pembungkusan

- 36 kg / set

用途

- 浴室地板瓷砖下的防水层
- 露台和阳台的防水
- 适用于有较大移动或裂缝的结构防水

适用范围


- 地下室, 停车场, 露台, 阳台, 桥梁, 挡土, 游泳池, 钢筋混凝土排水沟浴室地面和墙面, 花槽, 潮湿空间, 例如厨房: 污水处理厂, 淋浴间和洗衣房

颜色

- 灰色

包装

- 36 公斤 / 组



022-085-2370
Eco-Friendly
Building Material

Sikalastic®-1 KMY

Scan for
more info



One-component, fibre reinforced, flexible cementitious waterproofing mortar
Mortar kalis air, satu komponen, diperkuat fiber & fleksibel
单组分纤维增强型柔性水泥基防水砂浆

Uses

- Waterproof protection of concrete structures
- Waterproofing external wall surfaces to be backfilled in the ground
- Internal waterproofing in basement
- Waterproofing of terraces & balconies
- Pool waterproofing

Areas of application

- Waterproofing of concrete structures (tanks, pools, pipes)
- Internal & external waterproofing of walls and floors (including basements)
- Waterproofing of terraces and balconies over concrete or existing tiles
- Compatible with SikaCeram® tiling systems

Colour

- Grey

Packaging

- 20 kg / bag

Kegunaan

- Perlindungan kalis air untuk struktur konkrit
- Mengalis air pada permukaan dinding luaran untuk pengisian di dalam tanah
- Pengalis air dalaman di tingkat bawah tanah
- Pengalis air di teres & anjung
- Pengalis air kolam renang

Kawasan aplikasi

- Kalis air struktur konkrit (tangki, kolam, paip)
- Kalis air dalaman & luaran dinding dan lantai (termasuk ruang bawah tanah)
- Kalis air teres dan balkoni di atas konkrit atau jubin sedia ada
- Serasi dengan sistem jubin SikaCeram®

Warna

- Kelabu

Pembungkusan

- 20 kg / beg

用途

- 混凝土结构的防水保护
- 用于需进行土壤回填的外墙表面防水
- 在地下室的内部防水
- 露台和阳台防水
- 泳池防水

适用范围

- 混凝土结构的防水处理 (例如: 水箱、泳池、管道)
- 墙面和地面的室内外防水 (包括地下室)
- 混凝土或现有瓷砖上的露台和阳台防水
- 与 SikaCeram® 瓷砖铺贴系统兼容

颜色

- 灰色

包装

- 20 公斤 / 袋



032-118-3205
Environmentally
Preferred Coating

Sikagard®-703 GroutSeal

Scan for
more info



Water repellent impregnation for tiles joints & building surface
Penekat air untuk sambungan jubin & pada permukaan bangunan
瓷磚填縫和建築物立面防水浸漬劑

Uses

- For making tiles joints/ building surfaces water repellent & protecting against water ingress

Characteristics & Advantages

- Penetrate deeply into tiles joints/ building surface to provide water resistance properties
- Product in aqueous phase with strong water repellent capability
- Treatment is usually invisible not changing the substrate aspect
- Improve resistant to dirt pick up & reduces fungal & algal growth
- Can be over coated with suitable paints & coatings
- Water based environmental friendly
- Ready to use
- Easy application by low-pressure spray gun, brush & roller

Colour

- Whitish liquid

Packaging

- 1 L / pail

Kegunaan

- Untuk sambungan jubin/ permukaan bangunan menangkis air & melindungi daripada kemasukan air

Ciri-ciri & Kelebihan

- Meresap jauh ke dalam sambungan jubin/ permukaan bangunan untuk memberikan sifat kalis air
- Produk dalam bentuk cecair dengan keupayaan kalis air yang tinggi
- Rawatan biasanya tidak kelihatan tanpa mengubah aspek permukaan asal
- Meningkatkan kalis kotoran & mengurangkan pertumbuhan kulat & alga
- Boleh dilapisi dengan cat & salutan yang sesuai
- Berasaskan air yang mesra alam
- Sedia untuk digunakan
- Aplikasi mudah dengan penyembur tekanan rendah, berus & penggelek

Warna

- Cecair keputihan

Pembungkusan

- 1 L / baldi

用途

- 用于瓷磚縫隙及建筑表面防水、防止水滲入

特性

- 深入滲透瓷磚縫隙及建筑表面，提供防水性能
- 斥水性强
- 处理层通常是透明的，一般上不会改变基层外观
- 提高抗污能力，减少霉菌和藻类生长
- 可覆盖适用的油漆或涂料
- 环保水性材料
- 即用型
- 简易施工，使用常规低压喷涂，刷子或滚筒

颜色

- 白色液体

包装

- 1 升 / 桶



Sika® Fastplug-102

Scan for
more info



Ultra fast-setting compound for stopping water leaks
Kompaun ultra cepat-bentuk untuk menghentikan kebocoran air
超快速凝固的堵漏材料

Uses

- To stop water leaks & seepage through rock and concrete, as well as through joints between concrete & steel (bolt surroundings, ducts, sheetpiles, etc.) in subways, culverts, tunnels, dams, basements, pools & etc

Area of application

- Subways
- Drainage pipes
- Tunnels
- Dams
- Basements
- Pools

Colour

- Grey

Packaging

- 5 kg / pail

Kegunaan

- Untuk menghentikan kebocoran & resapan air melalui batu & konkrit, & juga melalui sambungan antara konkrit & keluli (sekitar bolt, saluran, kepingan penahan & sebagainya) dalam laluan bawah tanah, pemetung, terowong, empangan, tingkat bawah tanah, kolam & lain lain

Kawasan aplikasi

- Laluan bawah tanah
- Saluran air
- Terowong
- Empangan
- Ruang bawah tanah
- Kolam renang

Warna

- Kelabu

Pembungkusan

- 5 kg / baldi

用途

- 用于阻止水通过岩石和混凝土渗漏, 以及混凝土与钢材之间的接缝 (如螺栓周围、管道、钢板桩等) 渗水, 适用于地铁、涵洞、隧道、水坝、地下室、泳池等

适用范围

- 地铁
- 排水管道
- 隧道
- 水坝
- 地下室
- 泳池

颜色

- 灰色

包装

- 5 公斤 / 桶



SikaShield® W159 ED 1,5 mm

Scan for
more info



Bituminous waterproofing membrane wet applied
Membran kalis air berasaskan bitumen aplikasi basah
湿铺式沥青防水卷材

Uses

- Basements & other below ground structures
- Vertical reinforced concrete walls
- Single & strip foundations
- Concealed waterproofing for RC roofs
- Single layer under heavy protection
- Base sheet in multi-layer systems

Important note:

- The product is not suitable for roofs that are permanently exposed to UV radiation

Characteristics & Advantages

- No-torch application required, safe to apply in confined space
- Removable top & bottom foil for easy installation
- Fully bonded system ensures reliable waterproofing
- Watertight against lateral water migration
- Can be applied on wet concrete

Colour

- Black

Packaging

- Roll width 1.0 m
- Roll length 20.0 m

Kegunaan

- Ruang bawah tanah & struktur lain di bawah aras tanah
- Dinding konkrit bertetulang menegak
- Asas jenis tunggal & asas jalur
- Sistem kalis air tersembunyi bagi bumbung konkrit bertetulang (RC)
- Lapisan tunggal di bawah perlindungan berat
- Lapisan asas dalam sistem berbilang lapisan

Nota penting:

- Produk ini tidak sesuai untuk bumbung yang terdedah secara berterusan kepada sinaran UV

Ciri-ciri & Kelebihan

- Aplikasi tanpa torch membolehkan pemasangan yang selamat di ruang terhad
- Lapisan filem yang boleh ditanggal di permukaan atas & bawah
- Sistem lekatan penuh memastikan kalis air yang boleh dipercayai
- Kalisan air sepenuhnya terhadap pergerakan air sisi
- Boleh diaplikasikan pada konkrit yang masih basah

Warna

- Hitam

Pembungkusan

- Lebar gulungan: 1.0 m
- Panjang gulungan: 20.0 m

用途

- 地下室和其他地下结构
- 垂直钢筋混凝土墙
- 独立基础和条形基础
- 钢筋混凝土屋顶的隐蔽式防水处理
- 在重型保护层下单层使用
- 在多层系统中作为基层卷材

请注意:

- 这产品不适合在长期暴露于紫外线辐射的屋顶表面

特性

- 免火焰施工, 狭小空间可安全使用
- 上下表面保护膜可移除, 便于安装
- 完全粘结系统确保可靠的防水性能
- 防止侧向水分渗透
- 可在潮湿混凝土表面上施工

颜色

- 黑色

包装

- 卷材宽度: 1.0 米
- 卷材长度: 20.0 米



Sika® Igoflex® R

Scan for
more info



Flexible rubber / bitumen emulsion coating
Lapisan emulsi getah / bitumen fleksibel
弹性橡胶/沥青乳胶漆

Uses

- Flexible external protective coating & vapour barrier for retaining walls, basements, settlement tanks

Characteristics & Advantages

- Suitable for dry & damp surfaces
- Ready-to-use, no mixing or heating
- Non-sag on vertical surfaces
- Good weather resistance & ageing properties
- Bridges shrinkage & hair-line cracks
- Flexible, permanently plastoelastic, even at low temperatures
- Odourless & fungus resistant
- Good resistance to soil acids & salts

Colour

- Black

Packaging

- 20 kg / pail

Kegunaan

- Lapisan perlindungan luaran yang fleksibel & penghadang wap untuk dinding penahan, tingkat bawah tanah, tangki enapan

Ciri-ciri & Kelebihan

- Sesuai untuk permukaan kering & lembap
- Sedia untuk digunakan, tidak perlu dicampur atau dipanaskan
- Tidak mengendur pada permukaan menegak
- Rintangan terhadap cuaca & ciri-ciri penuaan yang baik
- Merapatkan jurang pengecutan & rekahan halus
- Bersifat fleksibel & kekal plastoelastik walaupun pada suhu rendah
- Tidak berbau & kalis kulit
- Rintangan yang baik terhadap asid & garam tanah

Warna

- Hitam

Pembungkusan

- 20 kg / baldi

用途

- 挡土墙、地下室、沉淀池的弹性外部保护层及防潮层

特性

- 适用于干燥和潮湿的表面
- 即用, 无需混合或加热
- 垂直面抗下垂
- 耐候及耐老化
- 桥梁收缩及发丝裂缝
- 即使在低温下也保持永久弹性
- 无臭及抗真菌
- 能抵抗土壤中的酸性及盐份

颜色


- 黑色

包装

- 20 公斤 / 桶



GLOBAL BUT LOCAL PARTNERSHIP



WE ARE SIKA

Sika is a specialty chemicals company with a globally leading position in the development and production of systems and products for bonding, sealing, damping, reinforcing, and protection in the building sector and industry. Sika has subsidiaries in 102 countries around the world, produces in over 400 factories, and develops innovative technologies for customers worldwide. In doing so, it plays a crucial role in enabling the transformation of the construction and transportation industries toward greater environmental compatibility. In 2025, Sika's 33,700 employees generated annual sales of CHF 11.20 billion.

Sika's purpose is to anticipate and meet future challenges by providing reliable, innovative, sustainable, and long-lasting solutions in the construction, building, and manufacturing industries. In everything we do, we provide a seal of quality which our employees, customers, and all stakeholders can rely on - Building Trust Every Day.

Our most current General Sales Conditions shall apply. Please consult the most current local Product Data Sheet prior to any use.

SIKA KIMIA SDN BHD

Level 10 & 11, Tower 2A, Avenue 5, The Horizon, Bangsar South,
No. 8, Jalan Kerinchi, 59200 Kuala Lumpur.
General Hotline : 012-630 4383
www.sika.com.my



BUILDING TRUST

