Sikalastic®-853 R AP Part B



Version Revision Date: SDS Number: Date of last issue: -

100000033785 Date of first issue: 20.11.2020 20.11.2020 1.0

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name Sikalastic®-853 R AP Part B

Product code 100000033785

Manufacturer or supplier's details

Company : Sika Kimia Sdn. Bhd.

Lot 689 Nilai Industrial Estate

71800 Nilai

Telephone : +60 6799 1762 Telefax +60 6799 1980 E-mail address EHS@my.sika.com

Emergency telephone num-

SECTION 2: Hazards identification

Classification of the hazardous chemical

Serious eye damage/eye irri- : Category 2

tation

Carcinogenicity : Category 1A

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2

Hazardous to the aquatic

environment - chronic hazard

: Category 2

Label elements

Hazard pictograms







Signal word

Hazard statements H319 Causes serious eye irritation.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or re-

peated exposure if swallowed.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Sikalastic®-853 R AP Part B



Version Revision Date: SDS Number: Date of last issue: -

1.0 20.11.2020 100000033785 Date of first issue: 20.11.2020

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
diethylmethylbenzenediamine	68479-98-1	>= 10 -< 25
placeholder pure for raw mats not yet main-	Not Assigned	>= 0.1 -< 1
tained. Exchange mandatory.		

SECTION 4: First aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

irritant effects carcinogenic effects

Excessive lachrymation

See Section 11 for more detailed information on health effects

and symptoms.

Causes serious eye irritation.

May cause cancer.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Sikalastic®-853 R AP Part B



Date of last issue: -Version Revision Date: SDS Number:

100000033785 Date of first issue: 20.11.2020 20.11.2020 1.0

Notes to physician Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Physicochemical hazards arising from the chemical

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Special protective equipment and precautions for fire-fighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment. Deny access to unprotected persons.

Environmental precautions Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Sikalastic®-853 R AP Part B



Version Revision Date: SDS Number: Date of last issue: -

1.0 20.11.2020 100000033785 Date of first issue: 20.11.2020

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Prevent unauthorized access.

Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

SECTION 8: Exposure controls and personal protection

Control parameters

Contains no substances with occupational exposure limit values.

Individual protection measures, such as personal protective equipment

Eye/face protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Sikalastic®-853 R AP Part B



Version Revision Date: SDS Number: Date of last issue: -

1.0 20.11.2020 100000033785 Date of first issue: 20.11.2020

Appearance : liquid

Colour : brown

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range / Freezing :

point

Boiling point/boiling range : No data available

Flash point : ca. 180 °C (356 °F)

(Method: open cup)

No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 0.01 hPa

Relative vapour density : No data available

Density : ca. 1.0 g/cm3 (25 °C (77 °F))

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : > 20.5 mm2/s (40 °C (104 °F))

Explosive properties : No data available

Oxidizing properties : No data available

Sikalastic®-853 R AP Part B



Version Revision Date: SDS Number: Date of last issue: -

1.0 20.11.2020 100000033785 Date of first issue: 20.11.2020

SECTION 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

Conditions to avoid : No data available

Incompatible materials : No data available

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Information on likely routes of : None known.

exposure

Acute toxicity

Not classified based on available information.

Components:

diethylmethylbenzenediamine:

Acute oral toxicity : LD50 Oral (Rat): 738 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): 2,500 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Not classified based on available information.

Sikalastic®-853 R AP Part B



Version Revision Date: SDS Number: Date of last issue: -

1.0 20.11.2020 100000033785 Date of first issue: 20.11.2020

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if swallowed.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal information

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

Sikalastic®-853 R AP Part B



Version Revision Date: SDS Number: Date of last issue: -

1.0 20.11.2020 100000033785 Date of first issue: 20.11.2020

N.O.S.

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

SECTION 16: Other information

Date format : dd.mm.yyyy

Full text of other abbreviations

ADR : European Agreement concerning the International Carriage of

Sikalastic®-853 R AP Part B



Version 1.0	Revision Date: 20.11.2020	SDS Number: 100000033785	Date of last issue: - Date of first issue: 20.11.2020
		Dangerous Goods by Road	
CAS		: Chemical Abstracts Service	
DNEL		: Derived no-effect level	
EC50		: Half maximal effective concentrati	on
GHS		Globally Harmonized System	
IATA		International Air Transport Association	
IMDG		International Maritime Code for Dangerous Goods	
LD50		Median lethal dosis (the amount of a material, given all at	
		once, which causes the death of 5	
		test animals)	, , ,
LC50		: Median lethal concentration (conc	entrations of the chemical in
		air that kills 50% of the test anima	ls during the observation
		period)	
MARPOL		International Convention for the Prevention of Pollution from	
		Ships, 1973 as modified by the Pr	otocol of 1978
OEL		: Occupational Exposure Limit	
PBT		: Persistent, bioaccumulative and to	oxic
PNEC		: Predicted no effect concentration	
REACH		Regulation (EC) No 1907/2006 of	
		and of the Council of 18 December	
		istration, Evaluation, Authorisation	
0)//.10		cals (REACH), establishing a Euro	
SVHC		: Substances of Very High Concern	
vPvB		: Very persistent and very bioaccun	nuiative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

MY / EN