



PRODUCT CATALOGUE DISTRIBUTION
SEALING & BONDING SOLUTIONS
PENYELESAIAN PENGEDAPAN & PEREKAT
密封和粘接解决方案

Sikaflex®-140 Construction

Scan for
more info



PU sealant for building joints
Sealant PU untuk penyambungan bangunan
建筑接缝的PU密封胶

Uses

- Movement & connection joints
- Horizontal & vertical movement & connections
- Facade elements

Characteristics & Advantages

- May be used for interior & exterior applications
- Movement capability of $\pm 25\%$ (ASTM C 719)
- Bubble-free curing
- Good workability
- Good adhesion to many substrates
- Very low emissions

Colour

- Concrete grey
- Black
- White

Packaging

- 600 ml / sausage

Kegunaan

- Sendi pergerakan & sambungan struktur
- Pergerakan & sambungan mendatar serta menegak
- Bahagian fasad

Ciri-ciri & Kelebihan

- Boleh digunakan untuk aplikasi di dalaman & luaran
- Kebolehan pergerakan sebanyak $\pm 25\%$ (ASTM C719)
- Pengeringan bebas gelembung
- Kebolehkerjaan yang baik
- Lekatan yang baik pada banyak substrat
- Emisi yang sangat rendah

Warna

- Kelabu konkrit
- Hitam
- Putih

Pembungkusan

- 600 ml / sosej

用途

- 运动和连接接缝
- 水平和垂直方向的运动与连接
- 外墙构件

特性

- 可在室内和室外应用
- 位移能力 $\pm 25\%$ (ASTM C719)
- 无泡沫
- 容易施工
- 良好的基地粘合力
- 极低排放

颜色

- 混凝土灰色
- 黑色
- 白色

包装

- 600 毫升 / 支



Sikaflex® PRO-3

Scan for
more info



1-Part high performance civil engineering joint sealant
Penyegel sendi kejuruteraan awam satu komponen berprestasi tinggi
单组土木工程用高性能接缝胶

Uses

- Designed for movement & connection joints in floors, pedestrian & traffic areas (e.g. parking decks, car parks), warehouses & production areas, applications in the food industry, sewage treatment plants, tunnel construction & in cleanrooms

Characteristics & Advantages

- Very high mechanical & chemical resistance
- Movement capability of $\pm 35\%$ (ASTM C 719)
- Bubble-free curing
- Good adhesion to most construction materials
- Solvent-free
- Clean room suitable material
- Very low emissions

Colour

- Concrete grey
- White

Packaging

- 600 ml / sausage

Kegunaan

- Direka untuk sambungan pergerakan & sambungan penyambung pada lantai, kawasan pejalan kaki & trafik (contohnya dek parkir, tempat letak kereta), gudang & kawasan pengeluaran. Ia juga sesuai untuk aplikasi dalam industri makanan, loji rawatan kumbahan, pembinaan terowong & bilik bersih

Ciri-ciri & Kelebihan

- Ketahanan mekanikal & kimia yang sangat tinggi
- Keupayaan pergerakan $\pm 35\%$ (ASTM C 719)
- Pengerasan tanpa gelembung
- Lekatan baik pada kebanyakan bahan binaan
- Bebas pelarut
- Bahan yang sesuai untuk bilik bersih
- Emisi yang sangat rendah

Warna

- Kelabu konkrit
- Putih

Pembungkusan

- 600 ml / sosej

用途

- 设计用途粘接位移缝与连接缝于地面、人行及交通区域 (如停车层、停车场)、仓库与生产区域、食品工业应用、污水处理厂、隧道建设以及无尘室

特性

- 极高的机械性能及耐化学腐蚀性
- 位移能力 $\pm 35\%$ (ASTM C 719)
- 无气泡固化
- 对大多数建筑材料具有良好的粘结性
- 无溶剂
- 无尘室适用材料
- 极低排放

颜色

- 混凝土灰色
- 白色

包装

- 600 毫升 / 支



Sikaflex®-11 FC+

Scan for
more info



Multipurpose elastic adhesive & joint sealant
Perekat & penyegel sendi pelbagai guna yang elastik
多功能弹性密封及接缝胶

Uses

To bond construction components & materials such as:

- Concrete
- Masonry
- Reconstituted or cast stone
- Ceramic
- Wood
- Metal & Glass

Characteristics & Advantages

- Good mechanical & weathering resistance
- Movement capability of $\pm 35\%$
- Adhesive-sealant
- Bonds well to defined substrates without surface pre-treatment
- Very low emissions

Colour

- White
- Concrete grey
- Black

Packaging

- 300 ml / cartridge
- 600 ml / sausage

Kegunaan

Untuk melekat komponen & bahan pembinaan seperti:

- Konkret
- Batu bata / masonry
- Batu sintetik atau tuang
- Seramik
- Kayu
- Logam & Kaca

Ciri-ciri & Kelebihan

- Ketahanan mekanikal & cuaca yang baik
- Keupayaan pergerakan $\pm 35\%$
- Perekat-penyegel
- Melekat dengan baik pada substrat tertentu tanpa pra-rawatan permukaan
- Emisi yang sangat rendah

Warna

- Putih
- Kelabu konkrit
- Hitam

Pembungkusan

- 300 ml / katrij
- 600 ml / sosej

用途

用于粘结建筑构件及材料的粘合剂，例如：

- 混凝土
- 砌体
- 人造石或铸石
- 陶瓷
- 木材
- 金属及玻璃

特性


- 耐用且耐天气影响
- $\pm 35\%$ 的伸缩能力
- 排放量非常低
- 无需表面处理即可很好地黏附在指定材料上
- 极低排放

颜色

- 白色
- 混凝土灰色
- 黑色

包装

- 300 毫升 / 支
- 600 毫升 / 支



SikaBond®-124 Instant Nails

Scan for
more info



High strength multipurpose adhesive
Perekat kekuatan tinggi pelbagai guna
高強度多用途粘接胶

Uses

An adhesive to bond most components, such as:

- Skirting boards
- Wooden frames
- Plaster ceiling
- Panels
- Mouldings
- Hard PVC profiles
- Mirror Bonding
- Raise floor pedestal base bonding

Characteristics & Advantages

- Easy to apply
- Rapid initial grab after flash off
- A rigid adhesive to bond most components
- Rapid strength gain
- Wide adhesion range

Colour

- Wood Brown

Packaging

- 333 g / cartridge

Kegunaan

Melekatkan komponen seperti:

- Papan skirting
- Rangka kayu
- Papan
- Panel
- Acuan
- Bentuk dari PVC yang keras
- Ikatan cermin
- Perekat tapak kekaki lantai yang dinaikkan

Ciri-ciri & Kelebihan

- Mudah digunakan
- Melekat dengan segera
- Pelekat tegar untuk melekatkan kebanyakan komponen
- Kekuatan lekatan meningkat dengan cepat
- Julat lekatan yang besar

Warna

- Coklat kayu

Pembungkusan

- 333 g / katrij

用途

粘接胶可接着在常见构件上, 如:

- 踢脚线
- 木框
- 石膏天花板
- 面饰板
- 模具
- 硬质PVC型材
- 镜面粘接
- 架空地板底座粘接

特性


- 简易使用
- 溶剂挥发后立即发挥初始著力
- 适合粘接大部分组件的一种硬质胶水
- 强度爬升快
- 粘着范围广泛

颜色

- 木色

包装

- 333 毫升 / 支



Sikasil®-119 MP

Scan for
more info



Multipurpose neutral silicone sealant
Penedap silikon neutral pelbagai guna
多功能中性硅酮密封胶

Uses

- Designed for weatherproof joints between various substrates such as glass, metals, painted surfaces, aluminum, wood, ceramic tile, PVC & concrete
- Awning, roof & gutter
- Window & door installation
- Tile parameter joints
- General joint sealing

Characteristics & Advantages

- Very good UV & weathering resistance
- Primerless adhesion to a wide range of substrates
- High elasticity & flexibility
- Low odor, neutral curing
- Non-corrosive

Colour

- White
- Grey
- Black
- Transparent

Packaging

- 270 ml / cartridges

Kegunaan

- Direka untuk menyambungkan substrat seperti kaca, permukaan bercat, logam, aluminium, kayu, seramik, PVC & konkrit serta memberi ketahanan terhadap cuaca
- Sengkuap, bumbung & longkang
- Pemasangan pintu & bumbung
- Sambungan parameter jubin
- Penedap sambungan

Ciri-ciri & Kelebihan

- Ketahanan yang baik terhadap UV & cuaca
- Lekatan tanpa primer kepada pelbagai substrat
- Sangat elastik & fleksibel
- Pengeringan neutral tanpa bau
- Tidak menghakis

Warna

- Putih
- Kelabu
- Hitam
- Lut sinar

Pembungkusan

- 270 ml / katrij

用途

- 设计于各种基材之间的防水接缝，例如玻璃、金属、油漆表面、铝、木材、瓷砖、PVC 和混凝土
- 遮阳篷、屋顶和排水沟
- 门窗安装
- 瓷砖踢脚线接缝
- 一般接缝密封

特性

- 优良的抗紫外线和耐候性
- 适用于各种基面，无需底油
- 高弹性和柔韧性
- 低气味、中性固化
- 无腐蚀

颜色

- 白色
- 灰色
- 黑色
- 透明

包装

- 270 毫升 / 支



Sikasil®-129 Kitchen & Bathroom

Scan for
more info



Anti-fungus silicone sealant for kitchen & bathroom
Penedap silikon anti-kulat untuk dapur & bilik mandi
厨房和浴室硅酮密封胶

Uses

- Designed for sanitary & other sealing applications that require mildew resistance
- Wet areas
- Internal & external
- Multi substrate: metal (not including copper), glass, stone, aluminium & plastic

Characteristics & Advantages

- Long-term resistance against fungus & mold
- Primerless adhesion to a wide range of substrates
- High elasticity & flexibility
- Low odor, neutral curing
- Non-corrosive
- Very good UV & weathering resistance

Colour

- White
- Transparent

Packaging

- 270 ml / cartridge

Kegunaan

- Direka untuk sanitari & penedap yang memerlukan ketahanan terhadap kulapuk
- Kawasan basah
- Luar & dalam
- Pelbagai substrat: logam (kecuali tembaga), kaca, batu, aluminium & plastik

Ciri-ciri & Kelebihan

- Perlindungan jangka panjang terhadap kulat & kulapuk/ lumut
- Lekatan tanpa primer untuk pelbagai substrat
- Sangat elastik & fleksibel
- Pengeringan neutral tanpa bau
- Tidak menghakis
- Ketahanan yang baik terhadap UV & cuaca

Warna

- Putih
- Lut sinar

Pembungkusan

- 270 ml / katrij

用途

- 设计于卫浴和其它需要防霉密封的区域
- 潮湿区域
- 室内与室外
- 可用于多种基面: 金属 (不包括铜)、玻璃、石材、铝和塑料

特性

- 长期防霉抗菌
- 适用于各种基面, 无需底油
- 高弹性和柔韧性
- 低气味、中性固化
- 无腐蚀
- 优良的抗紫外线和耐候性

颜色

- 白色
- 透明

包装

- 270 毫升 / 支



Sika Boom®-140

Scan for
more info



Multi-purpose expansive polyurethane foam
Buih poliuretana mengembang pelbagai guna
多用途膨胀型聚氨酯泡沫

Uses

Design for bonding, fixing, insulating, filling connection joints around window & door frames, pipe entries, air conditioning vents

Characteristics & Advantages

- High expansion rate
- Exquisite foam
- Good thermal insulation
- Fast curing & easy application
- Good adhesion to many construction materials
- Can be cut, sanded & over painted
- Safety & health: free of formaldehyde, xylene, no toxic
- Allows insulation against noise, heat, cold & draughts after the application

Colour

- Light yellow

Packaging

- 750 ml / can

Kegunaan

Direka untuk pelekat, pemasangan, penebatan & pengisian sambungan di sekitar bingkai tingkap & pintu, kemasukan paip serta ventilasi penghawa dingin

Ciri-ciri & Kelebihan

- Kadar pengembangan tinggi
- Struktur buih halus
- Penebatan haba yang baik
- Pengerasan cepat & mudah diaplikasi
- Lekatan baik pada pelbagai bahan binaan
- Boleh dipotong, digosok & dicat semula
- Selamat untuk kesihatan: bebas formaldehid dan xylene, tidak toksik
- Selepas aplikasi, ia memberikan penebatan terhadap bunyi, haba, sejuk & angin

Warna

- Kuning muda

Pembungkusan

- 750 ml / tin

用途

用途为粘结、固定、填充窗框及门框周边连接缝、管道入口、空调通风口

特性

- 高膨胀率
- 泡沫细腻
- 良好的隔热性能
- 固化快及施工简便
- 对多种建筑材料具有良好的粘结性
- 可切割、打磨及重新涂刷
- 安全与健康: 不含甲醛、二甲苯, 无毒
- 可起到隔音、隔热、防寒及防风的作用

颜色

- 浅黄色

包装

- 750 毫升 / 罐



Sika® MultiSeal® AP

Scan for
more info



Bituminous sealing tape
Pita pengedap bitumen
沥青密封胶带

Uses

Designed for sealing & repairing applications against water ingress on roofs & any other building element

Characteristics & Advantages

- Very easy to apply
- Good adhesion to many substrates
- Weather proof
- Self-adhering
- Compatible with bituminous substrates
- Can be over-painted

Colour

- Matt grey

Packaging

- 3 m x 100 mm

Kegunaan

Direka untuk aplikasi pengedapan & pembaikan bagi menghalang kemasukan air pada bumbung & mana-mana elemen bangunan lain

Ciri-ciri & Kelebihan

- Sangat mudah diaplikasikan
- Lekatan yang baik pada pelbagai substrat
- Kalis cuaca
- Melekat sendiri
- Serasi dengan substrat berasaskan bitumen
- Boleh dicat atas permukaannya

Warna

- Kelabu matte

Pembungkusan

- 3 m x 100 mm

用途

- 专为屋面及任何其他建筑构件的防水密封与修复设计以防止水分渗入

特性

- 施工非常简便
- 对多种基面具有良好的粘结性
- 耐候性强
- 自粘型
- 与沥青基材兼容
- 可涂漆
- 可在低温下施工

颜色


- 哑光灰色

包装

- 3米 x 100毫米



GLOBAL BUT LOCAL PARTNERSHIP



WE ARE SIKA

Sika is a specialty chemicals company with a globally leading position in the development and production of systems and products for bonding, sealing, damping, reinforcing, and protection in the building sector and industry. Sika has subsidiaries in 102 countries around the world, produces in over 400 factories, and develops innovative technologies for customers worldwide. In doing so, it plays a crucial role in enabling the transformation of the construction and transportation industries toward greater environmental compatibility. In 2025, Sika's 33,700 employees generated annual sales of CHF 11.20 billion.

Sika's purpose is to anticipate and meet future challenges by providing reliable, innovative, sustainable, and long-lasting solutions in the construction, building, and manufacturing industries. In everything we do, we provide a seal of quality which our employees, customers, and all stakeholders can rely on - Building Trust Every Day.

Our most current General Sales Conditions shall apply.
Please consult the most current local Product Data Sheet prior to any use.

SIKA KIMIA SDN BHD

Level 10 & 11, Tower 2A, Avenue 5, The Horizon, Bangsar South,
No. 8, Jalan Kerinchi, 59200 Kuala Lumpur.
General Hotline : 012-630 4383
www.sika.com.my



BUILDING TRUST

