Version 2.0



SECTION 1: Identification of the hazardous chemical and of the supplier

Product name	[:] Sika [®] Injection-101 RC Part B
Product code	: 00000606381
Type of product	: liquid
Recommended use of the c Product use	hemical and restrictions on use : Polyurethane foam, Sealing system
Manufacturer or supplier's	details
Manufacturer or supplier's of Company	details : Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate
Company	: Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai
Company	 Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai +60 6799 1762
Company Telephone Telefax	 Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai +60 6799 1762 +60 6799 1980
Company Telephone Telefax E-mail address	 Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai +60 6799 1762
Company Telephone Telefax E-mail address Emergency telephone	 Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai +60 6799 1762 +60 6799 1980
Company Telephone Telefax E-mail address	 Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai +60 6799 1762 +60 6799 1980

SECTION 2: Hazards identification

Classification of the hazardous chemical Acute toxicity (Inhalation) : Category 4					
Acute toxicity (initialation)	. Oategory 4				
Skin corrosion/irritation	: Category 2				
Serious eye damage/eye irritation	: Category 2				
Respiratory sensitisation	: Category 1				
Skin sensitisation	: Category 1				
Carcinogenicity	: Category 2				
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system)				
Specific target organ toxicity - repeated exposure (Inhalation)	: Category 2				

Label elements

Version 2.0



Hazard pictograms	
Signal word	: Danger
Hazard statements	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	 Prevention: P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves/ eye protection/ face protection. P281 Use personal protective equipment as required. P285 In case of inadequate ventilation wear respiratory protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Diphenylmethanediisocyanate, isomeres and	9016-87-9	>= 60 - <= 100
homologues		

SECTION 4: First aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately.

Sika[®] Injection-101 RC Part B

Version 2.0	SDS Number: 000000606381	Revision Date: 23.10.2019
	Wash off with soap and plenty of wate If symptoms persist, call a physician.	er.
In case of eye contact	 Immediately flush eye(s) with plenty of Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a spece 	
If swallowed	: Clean mouth with water and drink afte Do not give milk or alcoholic beverage Never give anything by mouth to an un Obtain medical attention.	es.
Most important symptoms and effects, both acute and delayed	 irritant effects sensitising effects Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Headache Dermatitis See Section 11 for more detailed infor and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma sympton difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through exposure if inhaled. 	ns or breathing
Notes to physician	: Treat symptomatically.	

®

SECTION 5: Firefighting measures

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
ising from the chemical
: No hazardous combustion products are known
t and precautions for fire-fighters
: In the event of fire, wear self-contained breathing apparatus.
: Standard procedure for chemical fires.

Revision Date: 23.10.2019

Sika[®] Injection-101 RC Part B

Version 2.0

SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Deny access to unprotected persons. Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

-		
Precautions for safe handling Advice on protection against fire and explosion	-	Normal measures for preventive fire protection.
Advice on safe handling	:	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
Storage		
Conditions for safe storage,	ind	cluding any incompatibilities

Conditions for safe storage : Store in original container.
Keep in a well-ventilated place. Containers which are opened must be carefully resealed a kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.

Sika[®] Injection-101 RC Part B

Version 2.0



SECTION 8: Exposure controls and personal protection

Control parameters	
Contains no substances with	occupational exposure limit values.
Individual protection meas	ures, such as personal protective equipment
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	brown
Odour	:	slight
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (> 214 °F) Method: closed cup
Evaporation rate	:	No data available

Revision Date: 23.10.2019

Sika[®] Injection-101 RC Part B

Version	20
101010	2.0

Flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: <0.01 hPa (< 0.01 mmHg) (20 °C (68 °F))
Relative vapour density	: No data available
Density	: ca. 1.24 g/cm3 (20 °C (68 °F) ())
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: > 20.5 mm2/s (40 °C)
Explosive properties	: No data available
Molecular weight	: No data available

SECTION 10: Stability and reactivity

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: No data available
Incompatible materials	: No data available
No decomposition if stored and applied as directed.	

SECTION 11: Toxicological information

Information on likely routes of : None known. exposure

Version 2.0

SDS Number: 000000606381



armful if inhaled. omponents: phenylmethanediisocyanat sute oral toxicity sute inhalation toxicity sute dermal toxicity sin corrosion/irritation suses skin irritation. srious eye damage/eye irrita suses serious eye irritation.	 te, isomeres and homologues: LD50 Oral (Rat): > 10,000 mg/kg Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic a short term inhalation. LD50 Dermal (Rabbit): > 9,400 mg/kg
phenylmethanediisocyanate oute oral toxicity oute inhalation toxicity oute dermal toxicity cin corrosion/irritation ouses skin irritation.	 LD50 Oral (Rat): > 10,000 mg/kg Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic a short term inhalation. LD50 Dermal (Rabbit): > 9,400 mg/kg
ute oral toxicity ute inhalation toxicity ute dermal toxicity in corrosion/irritation uses skin irritation. rious eye damage/eye irrita	 LD50 Oral (Rat): > 10,000 mg/kg Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic a short term inhalation. LD50 Dermal (Rabbit): > 9,400 mg/kg
ute dermal toxicity in corrosion/irritation uses skin irritation. rious eye damage/eye irrita	 Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic a short term inhalation. : LD50 Dermal (Rabbit): > 9,400 mg/kg
in corrosion/irritation auses skin irritation. rious eye damage/eye irrita	
nuses skin irritation. Prious eye damage/eye irrita	ation
rious eye damage/eye irrita	ation
	ation
uses serious eve irritation	
espiratory or skin sensitisat	tion
in sensitisation: May cause a spiratory sensitisation: May c naled.	an allergic skin reaction. cause allergy or asthma symptoms or breathing difficulties if
erm cell mutagenicity	
ot classified based on availabl	le information.
rcinogenicity	
spected of causing cancer.	
productive toxicity	
t classified based on availabl	le information.
OT - single exposure	
ay cause respiratory irritation.	
OT - repeated exposure	
ay cause damage to organs the	hrough prolonged or repeated exposure if inhaled.
piration toxicity	
ot classified based on availabl	le information.
ON 12: Ecological informati	ion
otoxicity	
omponents:	

Toxicity to fish	 i. LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l Exposure time: 96 h
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): > 1,640 mg/l Exposure time: 72 h

Version 2.0



Persistence and degradabili No data available	ty
Bioaccumulative potential	
Mobility in soil	
No data available	
Other adverse effects	
Product: Additional ecological information	: There is no data available for this product.

SECTION 13: Disposal information

Disposal methods	
Waste from residues	: Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

Sika[®] Injection-101 RC Part B

Version 2.0

SDS Number: 000000606381



II

SECTION 16: Other information

Date format

: dd.mm.yyyy

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

