# SikaCeram<sup>®</sup>-100 MY



Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2020
5.0	27.08.2020	10000013145	Date of first issue: 02.06.2016

## SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier	
Product name	<sup>:</sup> SikaCeram <sup>®</sup> -100 MY
Product code	: 10000013145
Recommended use of the c	hemical and restrictions on use
Product use	: Mortar, Tile adhesive
Manufacturer or supplier's	details
Company	: Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate
	71800 Nilai
Telephone	: +60 6799 1762
Telefax	: +60 6799 1980
E-mail address	: EHS@my.sika.com
Emergency telephone num- ber	: -

#### **SECTION 2: Hazards identification**

Classification of the hazardous chemical							
Skin corrosion/irritation	:	Category 2					
Serious eye damage/eye irri- tation	:	Category 1					
Skin sensitisation	:	Category 1					
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)					
Label elements							
Hazard pictograms	:						
Signal word	:	Danger					
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.					
Precautionary statements	:	Prevention:					

# SikaCeram<sup>®</sup>-100 MY



Version 5.0	Revision Date: 27.08.2020	SDS Number: 100000013145	Date of last issue: 04.05.2020 Date of first issue: 02.06.2016
		P264 Wash skin thoroughl	:/ fume/ gas/ mist/ vapours/ spray. y after handling. es/ eye protection/ face protection.
		and keep at rest in a positi POISON CENTER or doct P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER or doctor/ physic	HALED: Remove victim to fresh air on comfortable for breathing. Call a or/ physician if you feel unwell. 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON ian. on or rash occurs: Get medical ad-
•• Other	hazards which do not	result in classification	

None known.

### SECTION 3: Composition and information of the ingredients of the hazardous chemical

### Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Cement, portland, chemicals	65997-15-1	>= 20 -< 30
Limestone	1317-65-3	>= 10 -< 30

#### **SECTION 4: First aid measures**

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages.

# SikaCeram<sup>®</sup>-100 MY



0	Revision Date: 27.08.2020		SDS Number: 100000013145	Date of last issue: 04.05.2020 Date of first issue: 02.06.2010
			Never give anything by mou Obtain medical attention.	uth to an unconscious person.
	important symptoms ffects, both acute and ed	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more de and symptoms. Causes skin irritation. May cause an allergic skin r Causes serious eye damag May cause respiratory irritat	e.
	to a brack to a		Treat symptomatically.	
Notes	to physician	•	Treat Symptomatically.	
	5: Firefighting measur	es	Treat symptomatically.	
ECTION		es	Treat symptomatically.	
ECTION	5: Firefighting measur			s that are appropriate to local cir- nding environment.
ECTION Exting Suitab	5: Firefighting measur	:	Use extinguishing measures cumstances and the surrou	
ECTION Exting Suitab Physi	5: Firefighting measur guishing media ble extinguishing media	: risiı	Use extinguishing measures cumstances and the surrou	nding environment.
ECTION Exting Suitab Physi Hazar ucts	5: Firefighting measure guishing media ble extinguishing media cochemical hazards and rdous combustion prod-	: risiı :	Use extinguishing measures cumstances and the surrour	nding environment. products are known
ECTION Exting Suitat Physi Hazar ucts Speci Specia	5: Firefighting measure guishing media ble extinguishing media icochemical hazards an rdous combustion prod-	risiı : nt a	Use extinguishing measures cumstances and the surrour ng from the chemical No hazardous combustion p and precautions for fire-figh	nding environment. products are known

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

# SikaCeram<sup>®</sup>-100 MY



Version	Revision Date: 27.08.2020	SDS Number:	Date of last issue: 04.05.2020
5.0		100000013145	Date of first issue: 02.06.2016

## SECTION 7: Handling and storage

## Handling

<b>Precautions for safe handlin</b> Advice on protection against fire and explosion	-	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Storage		
Conditions for safe storage	, in	cluding any incompatibilities

Conditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

### SECTION 8: Exposure controls and personal protection

## Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable frac- tion)	0.1 mg/m3	MY PEL
		PEL (Respir- able dust)	0.1 mg/m3	MY PEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res-	0.025 mg/m3	ACGIH

# SikaCeram<sup>®</sup>-100 MY



ersion 0	Revision Date: 27.08.2020	SDS Nu 100000			ssue: 04.05.2020 ssue: 02.06.2010
			pirable par- ticulate mat- ter)	(Silica)	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Ceme	nt, portland, chemicals	65997-15-1	TŴA	10 mg/m3	MY PEL
			PEL (Respir- able dust)	5 mg/m3	MY PEL
			PEL (Total dust)	10 mg/m3	MY PEL
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
Limes	tone	1317-65-3	TWA (partic- ulate)	10 mg/m3 (Calcium car- bonate)	MY PEL
			nation: The value and <1% crystallir	is for particulate m	natter containing
			PEL (Respir- able dust)	5 mg/m3	MY PEL
			PEL (Total dust)	10 mg/m3	MY PEL
	dual protection measure ace protection	: Safety eyew	ear complying wit	e equipment h an approved sta ent indicates this is	
Skin p	protection		mount of dangero	ation to its type, to ous substances, ar	
Respir	ratory protection	ventilation is that exposur The filter clas imum expect (gas/vapour/ dling the pro	provided or expo es are within reco ss for the respirat ed contaminant of aerosol/particulat	es) that may arise entration is exceed	demonstrates re guidelines. e for the max- when han-
Hygiei	ne measures	practice. When using When using	do not eat or drin do not smoke.	od industrial hygie k. nd at the end of wo	

# SikaCeram<sup>®</sup>-100 MY



Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2020
5.0	27.08.2020	10000013145	Date of first issue: 02.06.2016

## **SECTION 9: Physical and chemical properties**

Appearance	:	powder
Colour	:	grey
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-	:	No data available
octanol/water Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
		6 / 10

# SikaCeram<sup>®</sup>-100 MY



/ersion 5.0	Revision Date: 27.08.2020		SDS Number: 100000013145	Date of last issue: 04.05.2020 Date of first issue: 02.06.2016			
Oxidizi	ing properties	:	No data available				
SECTION 1	I0: Stability and react	ivity	,				
Reactiv	vity	:	No dangerous reaction kn	own under conditions of normal use.			
Chemi	cal stability	:	The product is chemically stable.				
Possib tions	ility of hazardous reac-	:	No hazards to be specially	y mentioned.			
Condit	ions to avoid	:	No data available				
Incom	patible materials	:	No data available				
No dec	composition if stored ar	nd aj	oplied as directed.				
SECTION 1	11: Toxicological info	rmat	tion				
Informa exposu	ation on likely routes of ure	:	None known.				
	toxicity assified based on availa	able	information.				
	orrosion/irritation s skin irritation.						
	<b>is eye damage/eye irr</b> s serious eye damage.		on				
Respir	ratory or skin sensitis	atio	n				
••••••	<b>ensitisation</b> ause an allergic skin re	actic	on.				
	ratory sensitisation						
-	assified based on availa	able	information.				
Not cla <b>Germ</b>	assified based on availa <b>cell mutagenicity</b> assified based on availa						

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.

# SikaCeram<sup>®</sup>-100 MY



/ersion 5.0	Revision Date: 27.08.2020	SDS Number: 100000013145	Date of last issue: 04.05.2020 Date of first issue: 02.06.2016
Aspir	ation toxicity		
Not cl	assified based on availa	able information.	
SECTION	12: Ecological informa	ation	
Ecoto	oxicity		
No da	ta available		
	<b>stence and degradabil</b> ta available	ity	
	<b>cumulative potential</b> ta available		
	<b>ity in soil</b> ta available		
Other	adverse effects		
<u>Produ</u>	<u>uct:</u>		
Addition mation	onal ecological infor- n	: There is no data ava	ilable for this product.
SECTION	13: Disposal informati	on	
Dispo	osal methods		
Waste	e from residues	cal or used container	ponds, waterways or ditches with chemi- r. /aste management company.
Conta	minated packaging	: Empty remaining cor Dispose of as unuse Do not re-use empty	d product.

## **SECTION 14: Transport information**

## International Regulations

**UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SikaCeram<sup>®</sup>-100 MY



Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2020
5.0	27.08.2020	10000013145	Date of first issue: 02.06.2016

#### **SECTION 15: Regulatory information**

#### Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

#### **SECTION 16: Other information**

Date format	:	dd.mm.yyyy
Full text of other abbreviati	ions	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
MY PEL	:	Malaysia. Occupational Safety and Health (Use and Stand- ards of Exposure of Chemicals Hazardous to Health) Regula- tions 2000.
MY PEL	:	Malaysia. Factories and Machinery (Mineral Dust) Regulations - Permissible Exposure Limit
ACGIH / TWA	:	8-hour, time-weighted average
MY PEL / TWA	:	Eight-hour time-weighted average airborne concentration
MY PEL / PEL	:	Permissible exposure limit (PEL)
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	÷	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	•	Occupational Exposure Limit
PBT	÷	Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH	÷	Regulation (EC) No 1907/2006 of the European Parliament
	•	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

# SikaCeram<sup>®</sup>-100 MY



Version	Revision Date:	SDS Number:	Date of last issue: 04.05.2020
5.0	27.08.2020	10000013145	Date of first issue: 02.06.2016

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

MY / EN