# Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

#### SECTION 1: Identification of the hazardous chemical and of the supplier

**Product identifier** 

Product name : Sikadur®-42 MY Part C

Product code : 000000612824

Manufacturer or supplier's details

Company : Sika Kimia Sdn. Bhd.

Lot 689 Nilai Industrial Estate

71800 Nilai

Telephone : +60 6799 1762
Telefax : +60 6799 1980
E-mail address : EHS@my.sika.com

Emergency telephone num-

her

#### **SECTION 2: Hazards identification**

## Classification of the hazardous chemical

Specific target organ toxicity - : Category 1 (Lungs)

repeated exposure

(Inhalation)

#### Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H372 Causes damage to organs (Lungs) through prolonged or

repeated exposure if inhaled.

Precautionary statements : Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

# Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

#### Other hazards which do not result in classification

None known.

## SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 60 -<= 100
Quartz (SiO2) <5µm	14808-60-7	>= 10 -< 30

#### **SECTION 4: First aid measures**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

No known significant effects or hazards.

See Section 11 for more detailed information on health effects

and symptoms.

Causes damage to organs through prolonged or repeated

exposure if inhaled.

Notes to physician : Treat symptomatically.

## **SECTION 5: Firefighting measures**

Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Physicochemical hazards arising from the chemical

Hazardous combustion prod- : No hazardous combustion products are known

## Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

ucts

Special protective equipment and precautions for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

for firefighters

Specific extinguishing meth- : Standard procedure for chemical fires.

ods

**SECTION 6: Accidental release measures** 

Personal precautions, protec- : Use p tive equipment and emer- Avoid

gency procedures

Use personal protective equipment.

Avoid breathing dust.

Deny access to unprotected persons.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

If the product contaminates rivers and lakes or drains inform

respective authorities.

No special environmental precautions required.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

## **SECTION 7: Handling and storage**

## Handling

## Precautions for safe handling

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

#### Storage

## Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with local regulations.

# Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

Further information on stor- : Keep in a dry place.

age stability No decomposition if stored and applied as directed.

## **SECTION 8: Exposure controls and personal protection**

## **Control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Respirable fraction)	0.1 mg/m3	MY PEL
		PEL (Respir- able dust)	0.1 mg/m3	MY PEL
		TWA (Respirable particulate matter)	0.025 mg/m3	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m3	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
Quartz (SiO2) <5µm	14808-60-7	TWA (Res- pirable frac- tion)	0.1 mg/m3	MY PEL
		PEL (Respir- able dust)	0.1 mg/m3	MY PEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Respirable particulate mat-	0.025 mg/m3 (Silica)	ACGIH

## Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

ter)

Individual protection measures, such as personal protective equipment

Eye/face protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9: Physical and chemical properties**

Appearance : powder

Colour : grey

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range / Freezing :

point

No data available

Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

# Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

Vapour pressure : No data available

Relative vapour density : No data available

Density : 2 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

## **SECTION 10: Stability and reactivity**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

Information on likely routes of : None known.

exposure

**Acute toxicity** 

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

# Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

#### Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

## **Aspiration toxicity**

Not classified based on available information.

#### **SECTION 12: Ecological information**

#### **Ecotoxicity**

No data available

## Persistence and degradability

No data available

## **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

#### **Product:**

Additional ecological infor-

: There is no data available for this product.

mation

## **SECTION 13: Disposal information**

## **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

# Sikadur®-42 MY Part C



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 31.01.2019

 3.0
 24.03.2021
 000000612824
 Date of first issue: 19.03.2015

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14: Transport information**

## **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

## **SECTION 16: Other information**

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

MY PEL : Malaysia. Occupational Safety and Health (Use and Stand-

ards of Exposure of Chemicals Hazardous to Health) Regula-

tions 2000.

MY PEL : Malaysia. Factories and Machinery (Mineral Dust) Regulations

- Permissible Exposure Limit

ACGIH / TWA : 8-hour, time-weighted average

MY PEL / TWA : Eight-hour time-weighted average airborne concentration

MY PEL / PEL : Permissible exposure limit (PEL)

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service

# Sikadur®-42 MY Part C



Version 3.0	Revision Date: 24.03.2021		SDS Number: 000000612824	Date of last issue: 31.01.2019 Date of first issue: 19.03.2015
DNEL EC50 GHS IATA IMDG LD50		: : : : : : : : : : : : : : : : : : : :	Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of	
LC50		:	test animals) Median lethal concentration (conce air that kills 50% of the test animal period)	entrations of the chemical in s during the observation
MARPO	L	:	International Convention for the Pr Ships, 1973 as modified by the Pro	
OEL PBT PNEC REACH		: : : : : : : : : : : : : : : : : : : :	Occupational Exposure Limit Persistent, bioaccumulative and to Predicted no effect concentration Regulation (EC) No 1907/2006 of and of the Council of 18 Decembe istration, Evaluation, Authorisation cals (REACH), establishing a Euro	xic the European Parliament r 2006 concerning the Reg- and Restriction of Chemi-
SVHC vPvB		:	Substances of Very High Concern Very persistent and very bioaccum	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

MY / EN